

WEST Search History

DATE: Wednesday, August 01, 2007

Hide? Set
Name Query

C

DB=USPT; PLUR=YES; OP=ADJ

- ☐ L23 L22 and l21
- ☐ L22 134/21,25.4,42,1.3;34/282,359,361,363,364,365,397,401,402,403,406,409;438/906.ccls.
(object or semiconductor or substrate or workpiece or article) same (clean\$3 or treat\$3 or etch\$3) same ((pressure or vacuum\$5) adj5 (drop\$3 or reduc\$3 or cycl\$3 or fluctuat\$3) adj5 (time or sec\$4))
- ☐ L21

DB=EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ

- ☐ L20 (object or semiconductor or substrate or workpiece or article) same (clean\$3 or treat\$3 or etch\$3) same ((pressure or vacuum\$5) adj5 (drop\$3 or reduc\$3 or cycl\$3 or fluctuat\$3) adj5 (time or sec\$4))
- ☐ L19 (object or semiconductor or substrate or workpiece or article) same (clean\$3 or treat\$3 or etch\$3) same ((pressure or vacuum\$5) with (drop\$3 or reduc\$3 or cycl\$3 or fluctuat\$3) with (time or sec\$4))

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ

- ☐ L18 L15 and ((chamber or apparatus) same (pressure or vacuum\$5) same (drop\$3 or reduc\$3 or cycl\$3 or fluctuat\$3) same (time or sec\$4) same (residu\$2 or contaminat\$4 or partic\$5) same (clean\$3 or remov\$3 or treat\$3))
- ☐ L17 L15 and ((pressure or vacuum) same (drop\$3 or reduc\$3 or fluctuat\$3) same (time or sec\$4) same (residu\$2 or contaminat\$4 or partic\$5) same (clean\$3 or remov\$3 or treat\$3))
- ☐ L16 L15 and ((pressure or vacuum) same (drop\$3 or reduc\$3 or fluctuat\$3) same (time or sec\$4) same (residu\$2 or contaminat\$4 or partic\$5))
- ☐ L15 (asml netherlands).as.
- ☐ L14 L13 and ((pressure or vacuum) same (drop\$3 or reduc\$3 or evacuat\$3) same (time or sec\$4) same (residu\$2 or contaminat\$4 or partic\$5))
- ☐ L13 (asml).as.
- ☐ L12 L11 and ((pressure or vacuum) same (drop\$3 or reduc\$3 or evacuat\$3) same (time or sec\$4))
- ☐ L11 heerens-gert\$.in.

DB=USPT; PLUR=YES; OP=ADJ

- ☐ L10 (vacuum or pressur\$7) same (pump adj rotary) same evacuat\$3 same (time or seconds or sec)

DB=EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ

- ☐ L9 (vacuum or pressur\$7) same (pump adj rotary) same evacuat\$3 same (time or seconds or sec)

DB=PGPB,USPT; PLUR=YES; OP=ADJ

- ☐ L8 (vacuum or pressur\$7) same (pump with rotary) same evacuat\$3 same ((rate or rapid\$2) with (time or seconds or sec))
DB=EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ
- ☐ L7 (vacuum or pressur\$7) same (pump with rotary) same evacuat\$3 same (rate or rapid\$2) same (time or seconds or sec)
DB=PGPB,USPT,USOC; PLUR=YES; OP=ADJ
- ☐ L6 (vacuum or pressur\$7) same (pump with rotary) same evacuat\$3 same (rate or rapid\$2) same (time or seconds or sec)
- ☐ L5 adiabatic same (vacuum or pressur\$7) same pump same evacuat\$3 same (rate or rapid\$2) same (time or second or sec)
- ☐ L4 adiabatic same (vacuum or pressur\$7) same pump same evacuat\$3 same (rate or rapid)
DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ
- ☐ L3 adiabatic same (vacuum or pressur\$7) same pump same evacuat\$3 same (rate or rapid)
- ☐ L2 adiabatic with (vacuum or pressur\$7) with pump with evacuat\$3 with (rate or rapid)
DB=USPT; PLUR=YES; OP=ADJ
- ☐ L1 adiabatic with (vacuum or pressur\$7) with pump with (rate or rapid)

END OF SEARCH HISTORY